



## INFRARED REGULATION THERMOMETRY REPORT

### PATIENT INFORMATION

Report Number: R-000002299

Patient Name: Female Age 57

CRT Date Performed: 05-Oct-2012 01:41 PM

Chief Complaints and Objective Findings: L breast calcifications; R SI joint; L scapula; abscess tooth #18; chest cold; headaches

Algorithm Version: 1

Practitioner: Jackie Bell

Report Generation Date: 05-Oct-2012 12:42 PM

### I. THERMOGRAPHIC BIO-REGULATION RESULTS

<b>General Identifier patterns</b>	There appears to be a minimal deficit in detoxification capability (There are hints to metabolically challenged hepatic, renal filtration or other metabolic functions). There appears to be a severe signature for heavy metal toxicity. The adrenal function is moderately stressed. There is a severe global immune stress apparent. There is a minimal suspicion of a circulatory or cardiovascular (hypo/hypertension) signature.
<b>Head</b>	The disorder decreased. There is a minimal cerebrovascular/carotid circulatory deficit pattern identified. A minimal temporomandibular joint or neck disorder pattern identified. There is a minimal degree of viral hint signature identified.
<b>Neck</b>	The disorder increased. There is a minimal lymph block apparent. Investigate major source in the head region.
<b>Chest</b>	The disorder increased. The sternum moderately appears blocked, -see chest and breast sections. There appears a moderate chest block indication.
<b>Upper Abdomen</b>	The disorder decreased. There is a minimal level of apparent enzyme dysfunction/deficiency present. There appears a severe indication for an insulin-resistance pattern.
<b>Lower Abdomen</b>	The disorder decreased. There appears a severe food intolerance or allergy. There appears a severe general dysbiosis (mycosis, bacterial imbalance) indication.
<b>Kidney/Back</b>	The disorder increased. There appears a moderate degree of stress vertebral column.
<b>Cubital Fossae</b>	The disorder increased. There appears identified a problem residing on the right side of the body. Investigate further.
<b>Dental</b>	The disorder increased in left upper jaw and decreased in right upper jaw, right lower jaw, and left lower jaw. There appears to be a dental focus. There is a severe indication for the right upper jaw quadrant(s). Recommend dental examination for hidden focal infection. There appears to be a moderate degree of dental toxicity in the left lower jaw quadrant(s). A minimal temporomandibular joint or neck disorder pattern identified.
<b>Breast</b>	The disorder decreased in right breast. The disorder remained high in left breast. There appears 15 blocked spot(s) in the R/L breast. This may be benign. There appears a severe side-to-side difference (R-L).
<b>Prognostic Index (PI)</b>	1.

### II. PRIORITY FOR TREATMENT





By placing disorder highest priority, blood regulation second, and proximal radial differences (within the same region) third, priority for treatment can be established with providing the best strategies and patient benefits.

1. Heavy Metal Signature
2. Dental Focus
3. Insulin Resistance Apparent
4. Food Intolerance, Sensitivity
5. Dysbiosis (Mycosis or Bacterial Infection)
6. Side Alert

#### RECOMMENDATIONS


1. Consider chronic toxic metal or environmental chemical exposures such as mercury poisoning (long term); Consider chelation therapy, dietary restriction, Urinary challenge or hair element testing.
2. Investigate for occult infection; X-Ray, root canal assessment; Additionally panoramic x-Ray, assessment of dental metals, interactivity, correlation to stressed organs, galvanism.
3. Consider A1-c, glucose and further pre diabetes as well as diabetes II testing; Supplements may include bitter melon, chromium. In addition, exercise, sugar restriction, raw food diet.
4. Refer to test for celiac and other food sensitivities; Consider L-glutamine, probiotics, elimination diet.
5. Stool analysis for yeast, bacterial, parasitic infection; Alkalinization, antifungals, probiotics, dietary restriction of carbohydrates.
6. Investigate problems e.g. teeth, tonsil, sinus, organ on applicable side.

## II. GENERALIZED OVERVIEW OF SUSPICIOUS REGIONS





## V. BREAST ANALYSIS



## Breast Suspicion Criteria

Sternum Block	X	Breast blocked spot	X	Breast R-L asymmetry	X (RWarm)
Liver warm/block		Opp. Ovary Dysregulation		Lyt and Terrain Index high	
Tonsil/lymph block	X	Chest disorder elevated	X	2nd Molar possible	X
Lymphatic Index high	X	Breast disorder elevated		Stomach cold/blocked	X

Result: 8/12 criteria met for suspicion (X) (0-5 normal)

## Signature &amp; Gratings for Breast Dysfunction

	Optimal	Minimal	Moderate	Severe
Mastopathy/Inflammatory				████████████████████
Fibrocystic/Cystic				████████████████████
Physiologically Degenerative Signature Pattern	██████████			
Lymphatic Load		████████████████		
Endocrine Influence	██████████			
Organ/Tissue Influence				████████████████████
Heavy Metal Toxicity				████████████████████
Distant/Related Focal				████████████████████
Breast Blocked Spot		████████████████		
Breast Side Difference				████████████████████


NOTE: Signatures for breast dysfunction can be summarized from a series of 34 criteria based on confirmed case studies. Although Computerized Regulation Thermometry is an adjunct diagnostic device, thousands of patients' lives have been saved by its surveillance of the terrain, possible causal infections/disturbances, and local immune events such as lymphatic influence or hormone receptor abnormalities. The three main categories pertaining to breast diseases and conditions are mastopathy, fibrocystic, and suspicion for a neoplastic tendency.

## Breast Analysis Summary


- This 57 year old woman was referred to Jackie Bell. The overview appears as a/an Mastopathy/Inflammatory, Fibrocystic/Cystic, and Organ/Tissue Influence stress patient.
- There is Breast blocked spot and Breast R-L asymmetry apparent.
- According to the established 12 breast criteria 8/12 were indicated. This leaves moderate concerns for breast problems.
- Another thermogram should follow within 3 months in regards to the status after appropriate treatment and investigation. There is also a possibility an elevated suspicion may be due to hormonal cycles and therefore should be repeated at another phase of the menstrual cycle.
- These contributing organs and tissues are given in priority of severity of stress and form the basis for treatment or further tests:
  1. Breast blocked spot
  2. Breast R-L asymmetry
  3. Tonsil/lymph block

## VI. DYSREGULATIVE PATTERN SIGNATURES AND RECOGNITION


## Whole Body Identifier Patterns




## Head/Cranial Disturbances




## Dental




## Neck Region




## Chest Region




## Upper Abdomen



## Lower Abdomen



## Kidney/Back



## Cubital Fossae



Approved by Dr. Daniel Bellin, O.M.D., Certified IMAT Thermographic Interpreter

Note: Medical opinions expressed in this report in no way replace the level of performance met by the patient's physician when clinical examination and investigation may reveal perturbations or refining of the outcomes and results, leading to variance of conclusion. Thermometry reporting is intended as future and present guidance that reveals trends and suspicions, rather than being an 'absolute' diagnostic test. It functions best when corroborated with laboratory findings and normal imaging methods.

**Body**

Area	T-xA	DI-A	DI-B	Hyper	Normal	Hypo	Rigid	Paradox	T-Rb	T-Lb	T-xB
1	34.7"	6.1	5.5	16.7%	50.0%	0.0%	16.7%	16.7%	35.2"	35.1"	35.2"
2	34.3"	5.5	8.2	0.0%	30.8%	15.4%	7.7%	46.2%	34.4"	34.4"	34.4"
3	31.7"	5.0	5.7	0.0%	14.3%	0.0%	28.6%	57.1%	32.1"	31.4"	31.9"
4	32.6"	8.2	6.6	28.6%	57.1%	14.3%	0.0%	0.0%	32.1"	30.5"	31.7"
5	32.2"	8.9	5.9	9.1%	72.7%	9.1%	9.1%	0.0%	31.0"	31.5"	31.2"
6	32.2"	5.7	8.0	0.0%	50.0%	0.0%	50.0%	0.0%	31.6"	31.8"	31.7"
1-6	33.0"	6.6	6.7	9.1%	45.6%	6.5%	18.7%	20.0%	32.7"	32.5"	32.7"
CF	35.1"	1.0	2.9	0.0%	75.0%	0.0%	25.0%	0.0%	34.8"	34.7"	34.7"

**Dentil/Breast**

Area	T-xA	DI-A	DI-B	Hyper	Normal	Hypo	Rigid	Paradox	T-Rb	T-Lb	T-xB
7	33.0"	8.0	7.8	25.0%	50.0%	0.0%	12.5%	12.5%	N/A	N/A	33.7"
8	33.3"	5.5	6.2	12.5%	50.0%	12.5%	12.5%	12.5%	N/A	N/A	33.8"
9	34.4"	8.2	7.8	0.0%	37.5%	37.5%	12.5%	12.5%	N/A	N/A	34.6"
10	33.9"	7.5	7.3	12.5%	37.5%	12.5%	37.5%	0.0%	N/A	N/A	34.3"
11	30.1"	7.5	6.6	0.0%	7.7%	23.1%	69.2%	0.0%	N/A	N/A	29.8"
12	29.3"	9.7	9.1	0.0%	38.5%	15.4%	46.2%	0.0%	N/A	N/A	28.8"

